

Cover sheet for the Supplementary data

Manuscript title:

Evaluation on the decomposability of tropical peat soils from different types of forest after conversion to an oil palm plantation

Author names:

Faustina E. Sangok<sup>1,2</sup>, Nagamitsu Maie<sup>3</sup>, Lulie Melling<sup>2</sup>, and Akira Watanabe<sup>1</sup>

Author Address:

<sup>1</sup>Graduate School of Bioagricultural Science, Nagoya University, Furo-cho, Chikusa-ku, Nagoya 464-8601, Japan


<sup>2</sup>Sarawak Tropical Peat Research Institute, Lot 6035, Kota Samarahan Expressway, 94300 Kota Samarahan, Sarawak, Malaysia

<sup>3</sup>School of Veterinary Medicine, Kitasato University, Towada, Aomori 034-8628, Japan

Number of Supplementary figures: 2

Figure captions in the Electronic Annex

**SI Fig. 1.** The phasic communities of tropical peatland in Sarawak used for the experiment (a) Mixed Peat Swamp forest, (b) Alan Batu forest, and (c) Alan Bunga forest (Source: Anderson, 1961).



SI Fig. 1 Sangok et al.

**SI Fig. 2.** Design of soil mesocosm experiment. Top of the mesocosms was usually open (right one in the figure) and closed only when the gas samples were collected (left one in the figure).

